

INTERACTIVE TABLE | INTERACTIVE LED | INTERACTIVE EASEL

TOUCHIT LED FUSION



TOUCHIT FUSION™

THE 3-IN-1 PRODUCT

Incorporating an integrated PC, multi-touch LED and an electric mobile stand, the TouchIT Fusion is three products in one. An Interactive Easel, an Interactive Table and an Interactive LCD.

Transforming the TouchIT Fusion from one mode to another could not be any easier - everything is controlled at the touch of a button. The TouchIT Fusion is the ideal product for group collaboration or cluster group learning.

The TouchIT Fusion comes in two size options, 42" or 55". Choose between either the ground breaking 32 point or 10 point touch models.



PART CODE	UPC CODE	DESCRIPTION
- TART CODE	01 C CODE	——————————————————————————————————————
FUSION42LED	0608641029901	42", 10 Input, integrated PC
FUSION55LED	0608641029895	55", 10 Input, integrated PC
32FUSION42LED	0608641029918	42", 32 Input, integrated PC
32FUSION55LED	0608641028454	55", 32 Input, integrated PC







10 Point Touch

32 Point Touch

Collaboration

Supplied with the Snowflake multitouch suite of interactive software, the TouchIT Fusion is the ideal colaboration product

- 42" & 55" LCD Models
- 10 Point & 32 Point Models
- Integrated PC
- Electric Height Adjustable Stand
- Electric Tilting Stand
- Ideal for group work
- Anti-glare tempered glass finish

BUILT IN PC

Integrated PC for use with the TouchIT Fusion

The TouchIT Fusion comes with a powerful server grade integrated PC (GTIPC-A3) suitable for use 24/7 with your TouchIT LED Fusion. With an i5 processor, 8GB or RAM and a 500 GB hard disk, the TouchIT Fusion IPC is certainly not lacking power! There is nothing to install, we do it all for you. Simply register your software on first use and off you go!

42"





- CPU type
- System Chipset
- Graphic
- HDD
- RAM
- I/O port
 RJ45
- USB Connector
- Ethernet
- Wireless
- Input Voltage
- Dimension (L.W.H)
- Net Weight

Intel i5 processor

Intel H77

Intel HD Graphics 2500/4000

500G Serial ATA

8G DDR3-333 DIMM

HDMI.1 VGA.1 DVI.1 Audio Out x1

USB2.0 x 4 USB3.0 x 2 Realtek RTL8111E

802.11n

AC 100~240V 50/60Hz 401 x 222 x 56 mm

15.79" x 8.74" x 2.20"

4 kgs (8.82 lbs)

LED Specifications are as per the TouchIT LED Duo product

WHY CHOOSE AN INTEGRATED UNIT?

- Windows 8
- Nothing to connect to your LED Fusion, its all pre-cabled for you.
- Server Grade Hardware
- i5 Processor for powerful performance
- 42" & 55" Available

WHY CHOOSE LED?

An LED:

- has more vivid colors
- is gernerally lighter in weight
- has lower power Consumption
- is greener and more environmentally friendly



HIGH DEFINITION

Our range of LED Displays are all High Definition displays.

- 1920 x 1080 Resolution
- Full HD



STAND ALONE LED?

We have a large range of stand alone interactive LEDs - please visit our website for more information.



Toucl	nIT Te	echnol	ogies
2051	Villa,	Suite	104

Birmingham, MI 48009

USA

USA - 248 764 1084

UK - 0208 819 9641

AUSTRALIA - 0290 370 130

Distributed By:			